| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------------|--|---|---------------------|---------|------------------|
| L10 | 4422 | 429/27,30,38,40.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2005/06/02 08:18 |
| L11 | 603 | 429/128,122.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/02 08:18 |
| L12 | 5013 | 10 11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/02 08:19 |
| L13 | 4 | 12 and ((electrode anode cathode) near5 (taper\$3 near3 (pore hole space void))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/02 08:20 |
| S1 | 586 | 429/128,122.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2004/11/29 10:21 |
| S2 | 2 | ("5114803").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/29 10:00 |
| S4 | 3965 | 429/27,30,38,40.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 10:22 |
| S5 | 153 | S4 and (electrode with (pore near (size hole diameter))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 10:24 |

| | T | I | | T | · · · · · · · · · · · · · · · · · · · | |
|-----|------|--|---|----|---------------------------------------|------------------|
| S7 | 50 | S5 and ((pore size diameter hole) near (micron micrometer "mu.m" mm)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 10:27 |
| S8 | 1 | "3804674".PN. | USPAT; USOCR | OR | ON | 2004/11/29 13:40 |
| S9 | 3965 | 429/27,30,38,40.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 13:44 |
| S10 | 41 | S9 and ((pore adj (diameter hole) porosity) near (uniform\$3 equal\$4 equivil\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 13:47 |
| S11 | 153 | S9 and (electrode with (pore near (size hole diameter))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 13:47 |
| S12 | 50 | S11 and ((pore size diameter hole) near (micron micrometer "mu.m" mm)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 15:15 |
| S13 | . 40 | S10 not S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2004/11/29 15:14 |
| S14 | 38 | S13 and electrode | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 13:50 |
| S15 | 8 | S14 and (electrode with pore) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/29 13:50 |

| S16 | 2 | ("4477541" "5021304").PN. | US-PGPUB; USPAT; | OR | ON | 2004/11/29 15:42 |
|-----|---|-----------------------------|---------------------|----|----|------------------|
| | | | USOCR | | | |